

PIPE SUPPORT PIER FOR DRY LAND CROSSING								
PIPE DIAMETER	STEM DIAMETER "D"	STEM HEIGHT "H"	STEM REINF. BARS "A"	FOOTING SIZE		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	STEM STEEL T./ VERT. FT. POUNDS	FOOTING CONC. VOL. CU. YARDS
				"W"	"T"	STEM / CL	S T.	
8" TO 10"	2'-6"	1'-3' 4'-6' 7'-9' 10'-12'	10#4 10#5 10#5 10#6	4'-0" 5'-0" 6'-0" 7'-0"	1'-6" 2'-0" 2'-0" 2'-6"	0.18	6.68 10.43 10.43 15.02	0.89 1.85 2.67 4.54
12" TO 16"	3'-0"	1'-3' 4'-6' 7'-9' 10'-12'	10#4 10#5 10#6 10#8	5'-0" 6'-0" 7'-0" 8'-0"	1'-6" 2'-0" 2'-6" 2'-6"	0.26	6.68 10.43 15.02 26.70	1.39 2.67 4.54 5.92
18" TO 24"	3'-6"	1'-3' 4'-6' 7'-9' 10'-12'	14#5 14#6 14#6 14#8	6'-0" 7'-0" 8'-0" 9'-0"	2'-0" 2'-6" 3'-0" 3'-0"	0.36	14.60 21.03 21.03 37.38	2.67 4.54 7.11 9.00

## NOTES:

- 1. MINIMUM SOIL BEARING CAPACITY REQUIRED = 3,000 PSF. ENGINEER SHALL INSPECT ALL FOOTINGS PRIOR TO PLACEMENT OF CONCRETE.
- 2. CONCRETE 3,000 PSI @ 28 DAYS.
- 3. REINFORCING ASTM A615, GRADE 60.



## THE CITY OF LYNCHBURG

PIPE SUPPORT PIER FOR DRY LAND CROSSING

1

NOT TO SCALE

REVISION DATE:

SCALE:

27.17 SHEET #:

DETAIL #

USE WITH THE CITY OF LYNCHBURG STANDARD SPECIFICATIONS ONLY

11-06-2006 2 OF 2